

## 234030005 - SUPERCARRARA RUGOSO F 810 BLANCO

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** 234030005 - SUPERCARRARA RUGOSO F 810 BLANCO

**Other means of identification:**

**UFI:** 5064-6092-Q00K-A2AV

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses (Consumer use): Waterproofing agents for terraces and facades

Relevant uses (Professional users): Waterproofing agents for terraces and facades

Relevant uses (Industrial user): Waterproofing agents for terraces and facades

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

EUPINCA

C/ Londres, 13 - Pol. Ind. Cabezo Beaza

30353 Cartagena - Murcia - España

Phone: +34 968089000

info@grupotkrom.com

<https://www.tkrom.com/>

**1.4 Emergency telephone number:** +34 968 08 90 00 (Oficce hours)

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture:**

**CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

**2.2 Label elements:**

**CLP Regulation (EC) No 1272/2008:**

**Hazard statements:**

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

**Supplementary information:**

EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

**2.3 Other hazards:**

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substance:**

Not relevant

**3.2 Mixture:**

**Chemical description:** Aqueous mixture composed of additives, aggregates, coalescents, pigments and resins

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

| Identification                                                                          | Chemical name/Classification                                                                                                 |                                                                                                                                                                          | Concentration |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| CAS: 330-54-1<br>EC: 206-354-4<br>Index: 006-015-00-9<br>REACH: 01-2119517622-45-XXXX   | <b>diuron (ISO)<sup>(1)</sup></b> ATP ATP21                                                                                  |                                                                                                                                                                          | <0.01%        |
|                                                                                         | Regulation 1272/2008                                                                                                         | Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Carc. 1B: H350; STOT RE 2: H373 - Danger                                                                                 |               |
| CAS: 13463-41-7<br>EC: 236-671-3<br>Index: 613-333-00-7<br>REACH: 01-2119511196-46-XXXX | <b>Pyrrithione zinc<sup>(1)</sup></b> ATP ATP15                                                                              |                                                                                                                                                                          | <0.01%        |
|                                                                                         | Regulation 1272/2008                                                                                                         | Acute Tox. 2: H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Repr. 1B: H360D; STOT RE 1: H372 - Danger                      |               |
| CAS: 55965-84-9<br>EC: Not relevant<br>Index: 613-167-00-5<br>REACH: Not relevant       | <b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<sup>(1)</sup></b> ATP ATP13 |                                                                                                                                                                          | <0.01%        |
|                                                                                         | Regulation 1272/2008                                                                                                         | Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger |               |
| CAS: 50-00-0<br>EC: 200-001-8<br>Index: 605-001-00-5<br>REACH: 01-2119488953-20-XXXX    | <b>Formaldehyde<sup>(2)</sup></b> Self-classified                                                                            |                                                                                                                                                                          | <0.01%        |
|                                                                                         | Regulation 1272/2008                                                                                                         | Acute Tox. 2: H330; Acute Tox. 4: H302; Carc. 1B: H350; Eye Dam. 1: H318; Muta. 2: H341; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger                       |               |

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

(2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                                                                                                                    | M-factor |      |
|-----------------------------------------------------------------------------------------------------------------------------------|----------|------|
| diuron (ISO)<br>CAS: 330-54-1 EC: 206-354-4                                                                                       | Acute    | 100  |
|                                                                                                                                   | Chronic  | 100  |
| Pyrrithione zinc<br>CAS: 13463-41-7 EC: 236-671-3                                                                                 | Acute    | 1000 |
|                                                                                                                                   | Chronic  | 10   |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9 EC: Not relevant | Acute    | 100  |
|                                                                                                                                   | Chronic  | 100  |

| Identification                                                                                                                       | Specific concentration limit                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | % (w/w) >=0,6: Skin Corr. 1C - H314<br>0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315<br>% (w/w) >=0,6: Eye Dam. 1 - H318<br>0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319<br>% (w/w) >=0,0015: Skin Sens. 1A - H317 |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | % (w/w) >=25: Skin Corr. 1B - H314<br>5<= % (w/w) <25: Skin Irrit. 2 - H315<br>% (w/w) >=25: Eye Dam. 1 - H318<br>5<= % (w/w) <25: Eye Irrit. 2 - H319<br>% (w/w) >=5: STOT SE 3 - H335                    |

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

| Identification                                                                                                                       | Acute toxicity         |              | Genus |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------------|-------|
| Pyrrithione zinc<br>CAS: 13463-41-7<br>EC: 236-671-3                                                                                 | LD50 oral              | 300 mg/kg    |       |
|                                                                                                                                      | LD50 dermal            | Not relevant |       |
|                                                                                                                                      | LC50 inhalation vapour | 0,8 mg/L *   |       |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | LD50 oral              | 64 mg/kg     |       |
|                                                                                                                                      | LD50 dermal            | 87,12 mg/kg  |       |
|                                                                                                                                      | LC50 inhalation vapour | 1,433 mg/L * |       |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | LD50 oral              | 500 mg/kg    |       |
|                                                                                                                                      | LD50 dermal            | Not relevant |       |
|                                                                                                                                      | LC50 inhalation vapour | 0,5 mg/L *   |       |

\*Equivalent ATE value of the substance applicable to the exposure route of the product. For the ATE value associated with the exposure route of the substance, see section 11.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures:**

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 4: FIRST AID MEASURES (continued)**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Not relevant

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EEC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                                            |  | Occupational exposure limits |                                |
|-----------------------------------------------------------|--|------------------------------|--------------------------------|
| Formaldehyde <sup>(1)</sup><br>CAS: 50-00-0 EC: 200-001-8 |  | IOELV (8h)                   | 0,3 ppm 0,37 mg/m <sup>3</sup> |
|                                                           |  | IOELV (STEL)                 | 0,6 ppm 0,74 mg/m <sup>3</sup> |

<sup>(1)</sup> Dermal sensitisation

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

**DNEL (Workers):**

| Identification                                                                                                                       |            | Short exposure |                        | Long exposure          |                         |
|--------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|------------------------|------------------------|-------------------------|
|                                                                                                                                      |            | Systemic       | Local                  | Systemic               | Local                   |
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4                                                                                       | Oral       | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | 5,79 mg/kg             | Not relevant            |
|                                                                                                                                      | Inhalation | Not relevant   | Not relevant           | 0,17 mg/m <sup>3</sup> | Not relevant            |
| Pyrethione zinc<br>CAS: 13463-41-7<br>EC: 236-671-3                                                                                  | Oral       | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | 0,01 mg/kg             | Not relevant            |
|                                                                                                                                      | Inhalation | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | Oral       | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
|                                                                                                                                      | Inhalation | Not relevant   | 0,04 mg/m <sup>3</sup> | Not relevant           | 0,02 mg/m <sup>3</sup>  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | Oral       | Not relevant   | Not relevant           | Not relevant           | Not relevant            |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | 240 mg/kg              | Not relevant            |
|                                                                                                                                      | Inhalation | Not relevant   | 0,75 mg/m <sup>3</sup> | 9 mg/m <sup>3</sup>    | 0,375 mg/m <sup>3</sup> |

**DNEL (General population):**

| Identification                                                                                                                       |            | Short exposure |                        | Long exposure         |                        |
|--------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|------------------------|-----------------------|------------------------|
|                                                                                                                                      |            | Systemic       | Local                  | Systemic              | Local                  |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | Oral       | 0,11 mg/kg     | Not relevant           | 0,09 mg/kg            | Not relevant           |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | Not relevant          | Not relevant           |
|                                                                                                                                      | Inhalation | Not relevant   | 0,04 mg/m <sup>3</sup> | Not relevant          | 0,02 mg/m <sup>3</sup> |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | Oral       | Not relevant   | Not relevant           | 4,1 mg/kg             | Not relevant           |
|                                                                                                                                      | Dermal     | Not relevant   | Not relevant           | 102 mg/kg             | Not relevant           |
|                                                                                                                                      | Inhalation | Not relevant   | Not relevant           | 3,2 mg/m <sup>3</sup> | 0,1 mg/m <sup>3</sup>  |

**PNEC:**

| Identification                                                                                                                       |              |              |                         |               |  |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|-------------------------|---------------|--|
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4                                                                                       | STP          | 58 mg/L      | Fresh water             | 0,00032 mg/L  |  |
|                                                                                                                                      | Soil         | 0,012 mg/kg  | Marine water            | 0,000032 mg/L |  |
|                                                                                                                                      | Intermittent | 0,00022 mg/L | Sediment (Fresh water)  | 0,052 mg/kg   |  |
|                                                                                                                                      | Oral         | Not relevant | Sediment (Marine water) | 0,005 mg/kg   |  |
| Pyrethione zinc<br>CAS: 13463-41-7<br>EC: 236-671-3                                                                                  | STP          | 0,01 mg/L    | Fresh water             | 0,00009 mg/L  |  |
|                                                                                                                                      | Soil         | 1,02 mg/kg   | Marine water            | 0,00009 mg/L  |  |
|                                                                                                                                      | Intermittent | Not relevant | Sediment (Fresh water)  | 0,009 mg/kg   |  |
|                                                                                                                                      | Oral         | Not relevant | Sediment (Marine water) | 0,009 mg/kg   |  |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | STP          | 0,23 mg/L    | Fresh water             | 0,00339 mg/L  |  |
|                                                                                                                                      | Soil         | 0,01 mg/kg   | Marine water            | 0,00339 mg/L  |  |
|                                                                                                                                      | Intermittent | 0,00339 mg/L | Sediment (Fresh water)  | 0,027 mg/kg   |  |
|                                                                                                                                      | Oral         | Not relevant | Sediment (Marine water) | 0,027 mg/kg   |  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | STP          | 0,19 mg/L    | Fresh water             | 0,44 mg/L     |  |
|                                                                                                                                      | Soil         | 0,2 mg/kg    | Marine water            | 0,44 mg/L     |  |
|                                                                                                                                      | Intermittent | 4,44 mg/L    | Sediment (Fresh water)  | 2,3 mg/kg     |  |
|                                                                                                                                      | Oral         | Not relevant | Sediment (Marine water) | 2,3 mg/kg     |  |

**8.2 Exposure controls:**

**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**

- CONTINUED ON NEXT PAGE -

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

**C.- Specific protection for the hands**

| Pictogram                                                                                                      | PPE                                                                                                      | Labelling                                                                                    | CEN Standard      | Remarks                                          |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------|
| <br>Mandatory hand protection | Chemical protective gloves<br>(Material: Nitrile,<br>Breakthrough time: > 480<br>min, Thickness: 0.4 mm) | <br>CAT III | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

**D.- Eye and face protection**

| Pictogram                                                                                                      | PPE                                              | Labelling                                                                                   | CEN Standard                                                     | Remarks                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against<br>splash/projections. | <br>CAT II | EN ISO 16321-1:2022 + EN<br>ISO 16321-3:2022<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to<br>the manufacturer's instructions. Use if there is a<br>risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Labelling                                                                                     | CEN Standard              | Remarks                                                                                                                                                                                                                                                                          |
|-----------|----------------------|-----------------------------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Work clothing        | <br>CAT I   |                           | Replace before any evidence of deterioration. For<br>periods of prolonged exposure to the product for<br>professional/industrial users CE III is<br>recommended, in accordance with the regulations<br>in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO<br>13688:2013, EN 464:1994. |
|           | Anti-slip work shoes | <br>CAT II | EN ISO 20347:2022/A1:2024 | Replace before any evidence of deterioration. For<br>periods of prolonged exposure to the product for<br>professional/industrial users CE III is<br>recommended, in accordance with the regulations<br>in EN ISO 20345:2022 y EN 13832-1:2019                                    |

**F.- Additional emergency measures**

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure                                                                                       | Standards                                       | Emergency measure                                                                                        | Standards                                      |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                                   |
|---------------------------|-----------------------------------|
| V.O.C. (Supply):          | 0,97 % weight                     |
| V.O.C. density at 20 °C:  | 16,4 kg/m <sup>3</sup> (16,4 g/L) |
| Average carbon number:    | 9,92                              |
| Average molecular weight: | 145,67 g/mol                      |

With regard to Directive 2004/42/EC, this product which is ready to use has the following characteristics:

|                                      |                                   |
|--------------------------------------|-----------------------------------|
| V.O.C. density at 20 °C:             | 16,4 kg/m <sup>3</sup> (16,4 g/L) |
| EU limit for the product (Cat. A.C): | 40 g/L (2010)                     |
| Components:                          | Not relevant                      |

## 234030005 - SUPERCARRARA RUGOSO F 810 BLANCO

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

**Appearance:**

|                          |                                |
|--------------------------|--------------------------------|
| Physical state at 20 °C: | Liquid                         |
| Appearance:              | Viscous                        |
| Colour:                  | <input type="checkbox"/> White |
| Odour:                   | Not relevant *                 |
| Odour threshold:         | Not relevant *                 |

**Volatility:**

|                                        |                         |
|----------------------------------------|-------------------------|
| Boiling point at atmospheric pressure: | 107 °C                  |
| Vapour pressure at 20 °C:              | 2320 Pa                 |
| Vapour pressure at 50 °C:              | 12229,54 Pa (12,23 kPa) |
| Evaporation rate at 20 °C:             | Not relevant *          |

**Product description:**

|                                              |                          |
|----------------------------------------------|--------------------------|
| Density at 20 °C:                            | 1692,9 kg/m <sup>3</sup> |
| Relative density at 20 °C:                   | 1,693                    |
| Dynamic viscosity at 20 °C:                  | Not relevant *           |
| Kinematic viscosity at 20 °C:                | Not relevant *           |
| Kinematic viscosity at 40 °C:                | >20,5 mm <sup>2</sup> /s |
| Concentration:                               | Not relevant *           |
| pH:                                          | 8                        |
| Relative vapour density at 20 °C:            | Not relevant *           |
| Partition coefficient n-octanol/water 20 °C: | Not relevant *           |
| Solubility in water at 20 °C:                | Not relevant *           |
| Solubility properties:                       | Not relevant *           |
| Decomposition temperature:                   | Not relevant *           |
| Melting point/freezing point:                | Not relevant *           |

**Flammability:**

|                            |                        |
|----------------------------|------------------------|
| Flash Point:               | Non Flammable (>60 °C) |
| Flammability (solid, gas): | Not relevant *         |
| Autoignition temperature:  | 260 °C                 |
| Lower flammability limit:  | Not relevant *         |
| Upper flammability limit:  | Not relevant *         |

**Particle characteristics:**

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Not relevant * |
|-----------------------------|----------------|

## 9.2 Other information:

**Information with regard to physical hazard classes:**

|                                                              |                |
|--------------------------------------------------------------|----------------|
| Explosive properties:                                        | Not relevant * |
| Oxidising properties:                                        | Not relevant * |
| Corrosive to metals:                                         | Not relevant * |
| Heat of combustion:                                          | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

**Other safety characteristics:**

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
|---------------------------|----------------|

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

Refraction index: Not relevant \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

**10.5 Incompatible materials:**

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

**A- Ingestion (acute effect):**

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**B- Inhalation (acute effect):**

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

**C- Contact with the skin and the eyes (acute effect):**

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

- Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.
- IARC: Formaldehyde (1: Carcinogenic to humans); Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (3: Not classifiable as to its carcinogenicity to humans); Talc (3: Not classifiable as to its carcinogenicity to humans); Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics (3: Not classifiable as to its carcinogenicity to humans)
- Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Not relevant

**Specific toxicology information on the substances:**

| Identification                                                                                                                       | Acute toxicity        |             | Genus  |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------|--------|
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4                                                                                       | LD50 oral             | 4150 mg/kg  | Rat    |
|                                                                                                                                      | LD50 dermal           |             |        |
|                                                                                                                                      | LC50 inhalation dust  |             |        |
| Pyrethione zinc<br>CAS: 13463-41-7<br>EC: 236-671-3                                                                                  | LD50 oral             | 300 mg/kg   | Rat    |
|                                                                                                                                      | LD50 dermal           |             |        |
|                                                                                                                                      | LC50 inhalation mist  | 0,14 mg/L   | Rat    |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | LD50 oral             | 64 mg/kg    | Rat    |
|                                                                                                                                      | LD50 dermal           | 87,12 mg/kg | Rabbit |
|                                                                                                                                      | LC50 inhalation mist  | 0,33 mg/L   | Rat    |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | LD50 oral             | 500 mg/kg   |        |
|                                                                                                                                      | LD50 dermal           |             |        |
|                                                                                                                                      | LC50 inhalation gases | 100 mg/L    |        |

**11.2 Information on other hazards:****Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Not relevant

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 12: ECOLOGICAL INFORMATION (continued)****12.1 Toxicity:****Acute toxicity:**

| Identification                                                                                | Concentration |                    | Species                 | Genus      |
|-----------------------------------------------------------------------------------------------|---------------|--------------------|-------------------------|------------|
| diuron (ISO)                                                                                  | LC50          | 14,7 mg/L (96 h)   | Oncorhynchus mykiss     | Fish       |
| CAS: 330-54-1                                                                                 | EC50          | 1,4 mg/L (48 h)    | Daphnia magna           | Crustacean |
| EC: 206-354-4                                                                                 | EC50          | 0,022 mg/L (96 h)  | Desmodesmus subspicatus | Algae      |
| Pyrithione zinc                                                                               | LC50          | 0,003 mg/L (96 h)  | Pimephales promelas     | Fish       |
| CAS: 13463-41-7                                                                               | EC50          | 0,008 mg/L (48 h)  | Daphnia magna           | Crustacean |
| EC: 236-671-3                                                                                 | EC50          | Not relevant       |                         |            |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | LC50          | 0,28 mg/L (96 h)   | Lepomis macrochirus     | Fish       |
| CAS: 55965-84-9                                                                               | EC50          | 0,007 mg/L (48 h)  | Acartia tonsa           | Crustacean |
| EC: Not relevant                                                                              | EC50          | 0,0199 mg/L (72 h) | Skeletonema costatum    | Algae      |

**Chronic toxicity:**

| Identification                                                                                | Concentration |                    | Species       | Genus      |
|-----------------------------------------------------------------------------------------------|---------------|--------------------|---------------|------------|
| diuron (ISO)                                                                                  | NOEC          | >0.001 - 0.01 mg/L |               | Fish       |
| CAS: 330-54-1 EC: 206-354-4                                                                   | NOEC          | >0.001 - 0.01 mg/L |               | Crustacean |
| Pyrithione zinc                                                                               | NOEC          | Not relevant       |               |            |
| CAS: 13463-41-7 EC: 236-671-3                                                                 | NOEC          | 0,022 mg/L         | Daphnia magna | Crustacean |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | NOEC          | >0.001 - 0.01 mg/L |               | Fish       |
| CAS: 55965-84-9 EC: Not relevant                                                              | NOEC          | >0.001 - 0.01 mg/L |               | Crustacean |

**12.2 Persistence and degradability:****Substance-specific information:**

| Identification                                                                                                                       | Degradability |              | Biodegradability |          |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|------------------|----------|
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4                                                                                       | BOD5          | Not relevant | Concentration    | 100 mg/L |
|                                                                                                                                      | COD           | Not relevant | Period           | 28 days  |
|                                                                                                                                      | BOD5/COD      | Not relevant | % Biodegradable  | 0 %      |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | BOD5          | Not relevant | Concentration    | 0.3 mg/L |
|                                                                                                                                      | COD           | Not relevant | Period           | 29 days  |
|                                                                                                                                      | BOD5/COD      | Not relevant | % Biodegradable  | 38,8 %   |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | BOD5          | Not relevant | Concentration    | 10 mg/L  |
|                                                                                                                                      | COD           | Not relevant | Period           | 28 days  |
|                                                                                                                                      | BOD5/COD      | Not relevant | % Biodegradable  | 99 %     |

**12.3 Bioaccumulative potential:****Substance-specific information:**

| Identification                                                                                                                       | Bioaccumulation potential |          |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------|
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4                                                                                       | BCF                       | 57       |
|                                                                                                                                      | Pow Log                   | 2.84     |
|                                                                                                                                      | Potential                 | Moderate |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | BCF                       | 54       |
|                                                                                                                                      | Pow Log                   | 0.75     |
|                                                                                                                                      | Potential                 | Moderate |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | BCF                       | 0        |
|                                                                                                                                      | Pow Log                   | 0.35     |
|                                                                                                                                      | Potential                 | Low      |

**12.4 Mobility in soil:**

| Identification                                 | Absorption/desorption |              | Volatility |                 |
|------------------------------------------------|-----------------------|--------------|------------|-----------------|
| diuron (ISO)<br>CAS: 330-54-1<br>EC: 206-354-4 | Koc                   | 395          | Henry      | 2E-11 Pa·m³/mol |
|                                                | Conclusion            | Moderate     | Dry soil   | Not relevant    |
|                                                | Surface tension       | Not relevant | Moist soil | Not relevant    |

- CONTINUED ON NEXT PAGE -

**234030005 - SUPERCARRARA RUGOSO F 810 BLANCO****SECTION 12: ECOLOGICAL INFORMATION (continued)**

| Identification                                                                                                                       | Absorption/desorption |              | Volatility |                               |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------|------------|-------------------------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: Not relevant | Koc                   | 7.7          | Henry      | 5E-3 Pa·m <sup>3</sup> /mol   |
|                                                                                                                                      | Conclusion            | Very High    | Dry soil   | Not relevant                  |
|                                                                                                                                      | Surface tension       | Not relevant | Moist soil | Not relevant                  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                                                                                        | Koc                   | 15.9         | Henry      | 3,4E-2 Pa·m <sup>3</sup> /mol |
|                                                                                                                                      | Conclusion            | Very High    | Dry soil   | Yes                           |
|                                                                                                                                      | Surface tension       | Not relevant | Moist soil | Yes                           |

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods:**

| Code      | Description                                                                       | Waste class (Regulation (EU) No 1357/2014) |
|-----------|-----------------------------------------------------------------------------------|--------------------------------------------|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances | Hazardous                                  |

**Type of waste (Regulation (EU) No 1357/2014):**

HP14 Ecotoxic

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-Benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2,2-dibromo-2-cyanoacetamide, Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione, 2-Methylisothiazol-3(2H)-One, diuron (ISO), Pyrethione zinc, octhilinone (ISO), (ethylenedioxy)dimethanol.

- CONTINUED ON NEXT PAGE -

## 234030005 - SUPERCARRARA RUGOSO F 810 BLANCO

## SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: *diuron (ISO) (330-54-1)* - PT: (7, 10); *Pyrrhione zinc (13463-41-7)* - PT: (2, 6, 7, 9, 10, 21); *Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)* - PT: (2, 4, 6, 11, 12, 13); *Formaldehyde (50-00-0)* - PT: (2, 3, 22); *1,2-Benzisothiazol-3(2H)-one (2634-33-5)* - PT: (2, 6, 11, 12, 13); *2,2-dibromo-2-cyanoacetamide (10222-01-2)* - PT: (4, 6, 11, 12); *Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (5395-50-6)* - PT: (6, 11, 13); *2-Methylisothiazol-3(2H)-One (2682-20-4)* - PT: (6, 11, 12, 13); *octhilinone (ISO) (26530-20-1)* - PT: (6, 7, 8, 9, 10, 11, 13); *(ethylenedioxy)dimethanol (3586-55-8)* - PT: (6, 11, 12, 13)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: *diuron (ISO) (330-54-1)*
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

**Seveso III:**

Not relevant

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

1. Shall not be placed on the market in articles, after 6 August 2026, if, under the test conditions specified in Appendix 14, the concentration of formaldehyde released from those articles exceeds:

- (a) 0,062 mg/m<sup>3</sup> for furniture and wood-based articles
- (b) 0,080 mg/m<sup>3</sup> for articles other than furniture and wood-based articles.

The first subparagraph shall not apply to:

- (a) articles in which formaldehyde or formaldehyde releasing substances are exclusively naturally present in the materials from which the articles are produced
- (b) articles that are exclusively for outdoor use under foreseeable conditions
- (c) articles in constructions, that are exclusively used outside the building shell and vapour barrier and that do not emit formaldehyde into indoor air
- (d) articles exclusively for industrial or professional use unless formaldehyde released from them leads to exposure of the general public under foreseeable conditions of use
- (e) articles for which the restriction laid down in entry 72 applies
- (f) articles that are biocidal products within the scope of Regulation (EU) No 528/2012 of the European Parliament and of the Council
- (g) devices within the scope of Regulation (EU) 2017/745
- (h) personal protective equipment within the scope of Regulation (EU) 2016/425
- (i) articles intended to come into contact directly or indirectly with food within the scope of Regulation (EC) No 1935/2004
- (j) second-hand articles.

2. Shall not be placed on the market in road vehicles after 6 August 2027 if, under the test conditions specified in Appendix 14, the concentration of formaldehyde in the interior of those vehicles exceeds 0,062 mg/m<sup>3</sup>.

The first subparagraph shall not apply to:

- (a) road vehicles exclusively for industrial or professional use unless the concentration of formaldehyde in the interior of those vehicles leads to exposure of the general public under foreseeable conditions of use
- (b) second-hand vehicles.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

**Legislation related to safety data sheets:**

- CONTINUED ON NEXT PAGE -

## SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### **Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Not relevant

### **Texts of the legislative phrases mentioned in section 2:**

H412: Harmful to aquatic life with long lasting effects.

### **Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### **CLP Regulation (EC) No 1272/2008:**

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Carc. 1B: H350 - May cause cancer.

Eye Dam. 1: H318 - Causes serious eye damage.

Muta. 2: H341 - Suspected of causing genetic defects.

Repr. 1B: H360D - May damage the unborn child.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

### **Classification procedure:**

Aquatic Chronic 3: Calculation method

### **Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### **Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -